EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Pl ur al s	Time Stamp
.1	4	"6376069".pn. or "6254970".pn. or "5908694".pn. or "6147604".pn.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L2	1	"1225062"	EPO	OR	ON	2010/ 10/ 22 15: 59
L3	0	L1 and thermochrom\$4	US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
L4	0	L1 and (micron or ".mu.m" or micrometer)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L5	[2	L1 and (micron or ".mu.m" or micrometer or mil)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L6	1	L1 and rough\$6	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L7	779	((heat or thermal) near3 transfer) and support and ink and ((".mu.m" or micron or mictometer) near5 rough\$6)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L8	278	((heat or thermal) near3 transfer) and support and ink and ((".mu.m" or micron or mictometer) near5 rough\$6) and "428".clas.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L9	2	"11693445"	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L10	1	((heat or thermal) near3 transfer) and support and ink and ((".mu.m" or micron or mictometer) near5 rough\$6) and "428".clas. and (thermochrom\$6 near3 ink)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L11	1	((heat or thermal) near3 transfer) and support and ink and ((".mu.m" or micron or mictometer) near5 rough\$6) and "428".clas. and (thermochrom\$6 with ink)	US-POPUB; USPAT	OR	ON	2010/10/22 15:59
L12	6	((heat or thermal) near3 transfer) and support and ink and ((".mu.m" or micron or mictometer) near5 rough\$6) and "428".clas. and (thermochrom\$6)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L13	12	((heat or thermal) near3 transfer) and support and ink and ((".mu.m" or micron or mictometer) near5 rough\$6) and (thermochrom\$6)	US-PŒUB; USPAT	OR	ON	2010/10/22 15:59
L14	11	((heat or thermal) near3 transfer) and (support or substrate) and ink and ((".mu.m" or micron or mictometer) near5 rough\$6) and (thermochrom\$6) and adhesive	US-POPUB; USPAT	OR	ON	2010/10/22 15:59
L15	10	"6423466".pn. or "6383710".pn. or "5813772".pn. or "5411783".pn. or "5411783".pn. or "4786349".pn. or "4256795".pn. or "3992559".pn. or "3959555".pn. or "3920499".pn. or re28542.pn.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59

L16	0	L15 and thermochromic	US-PGPUB; USPA	AT OR		ON	2010/ 10/ 22 15: 59
.17	0	L15 and thermochrom\$6	US-PGPUB; USPA	AT OF		ON	2010/10/22 15:59
.18	42		US-PGPUB; USPA USOCR		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ON	2010/10/22 15:59
 .19	0	L18 and adhesive and ink and thermochromic	US-PGPUB; USPA	AT OF		ON	2010/10/22 15:59
.20	20		US-PGPUB; USPA	AT OR		ON	2010/ 10/ 22 15: 59
21	24	L18 and adhesive and ((ink or dye) same (thermochromic or (thermo near3 chromic) or leuco) or heat or thermal)	US-PGPUB; USPA	AT OR		ON	2010/10/22 15:59
L22	12	L18 and adhesive and ((ink or dye) same (thermochromic or (thermo near3 chromic) or leuco) or heat or thermal) and rough\$6	US-PGPUB; USPA	AT OF		ON	2010/10/22 15:59
L23	288	(support or substrate) and transfer and ((ink or dye) with (heat or therm\$4 or thermochromatic or leuco or (liquid adj crystal))) and ((heat or therm\$5) near3 adhesive) and (adhesive same rough\$6)	US-PGPUB; USPA	AT OR		ON	2010/10/22 15:59
L24	165	(support or substrate) and transfer and ((ink or dye) with (heat or therm\$4 or thermochromatic or leuco or (liquid adj crystal))) and ((heat or therm \$5) near3 adhesive) and (adhesive same rough\$6) and "428".clas.	US-PGPUB; USP	AT OF		ON	2010/10/22 15:59
L25	39	(support or substrate) and transfer and ((ink or dye) with (heat or therm\$4 or thermochromatic or leuco or (liquid adj crystal))) and ((heat or therm \$5) near3 adhesive) and (adhesive same rough\$6 same (".mu.m" or micron or micrometer or mil)) and "428".clas.	US-PGPUB; USPA	AT OF		ON	2010/10/22 15:59
L26	39	(support or substrate) and transfer and ((ink or dye) with (heat or therm\$4 or thermochrom\$4 or leuco or (liquid adj crystal))) and ((heat or therm \$5) near3 adhesive) and (adhesive same rough\$6 same (".mu.m" or micron or micrometer or mil)) and "428".clas.	US-PGPUB; USP/	AT OF		ON	2010/10/22 15:59
L27	4	(support or substrate) and transfer and ((ink or dye) with (thermochrom\$4 or leuco or (liquid adj crystal))) and ((heat or therm\$5) near3 adhesive) and (adhesive same rough\$6 same (".mu.m" or micron or micrometer or mil)) and "428".clas.	US- PGPUB; USP /	AT OF		ON	2010/10/22 15:59

L28	74	(support or substrate) and transfer and ((ink or dye) with (heat or therm\$4 or therm\$chrom\$4 or leuco or (liquid adj crystal))) and ((heat or therm \$5) near3 adhesive) and (adhesive same rough\$6 same (".mu.m" or micron or micrometer or mil))	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L29	43	US-7151552-\$. DID. OR US-7102657-\$. DID. OR US-6893717-\$. DID. OR US-6797747-\$. DID. OR US-6521327-\$. DID. OR US-6423466-\$. DID. OR US-6395373-\$. DID. OR US-6383710-\$. DID. OR US-6376069-\$. DID. OR US-6309498-\$. DID. OR US-6152621-\$. DID. OR US-6147604-\$. DID. OR US-5908694-\$. DID. OR US-5832827-\$. DID. OR US-5813772-\$. DID. OR US-5800890-\$. DID. OR US-5788796-\$. DID. OR US-5800890-\$. DID. OR US-5788796-\$. DID. OR US-5800890-\$. DID. OR US-5788796-\$. DID. OR US-5538831-\$. DID. OR US-55161829-\$. DID. OR US-5411783-\$. DID. OR US-5161829-\$. DID. OR US-5074595-\$. DID. OR US-4786349-\$. DID. OR US-4544590-\$. DID. OR US-4256795-\$. DID. OR US-3959555-\$. DID. OR US-3992559-\$. DID. OR US-3959555-\$. DID. OR US-3920499-\$. DID. OR US-3793112-\$. DID. OR US-3660212-\$. DID. OR US-3657832-\$. DID. OR US-3359127-\$. DID. OR US-20030136503-\$. DID. OR US-20030063139-\$. DID. OR US-20030044595-\$. DID. OR US-20020109636-\$. DID. OR US-20030044595-\$. DID. OR US-20020109636-\$. DID. OR "20010005543".pn.	US-PŒPUB; USPAT	OR	ON	2010/10/22 15:59
L30	19	1.29 and ("mu.m" or micron or micrometer or mil)	US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
L31	0	· · · · · · · · · · · · · · · · · · ·	US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
L32	13		US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
L33	8	("4176146" "4243700" "4704310"). PN. OR ("5456969"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L34	473	(thermal adj transfer) and (barcode or (bar adj code)) and (adhesive same thickness)	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L35	225	(thermal adj transfer) and (barcode or (bar adj code)) and (adhesive same thickness) and "428".	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L36	219	(thermal adj transfer) and (barcode or (bar adj code)) and (adhesive same thickness) and "428". clas. and (ink or dye)	US-PCPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L37	525	(thermal adj transfer) and rfid and ink and adhesive	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L38	65	(thermal adj transfer) and rfid and ink and (adhesive with thick\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L39	47	(thermal adj transfer) and shirt and ink and (adhesive with thick\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L40	274	rfid and print and shirt	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59

L41	108	rfid and print and (t adj shirt)	US-PGPUB; USPAT; USOCR	OR	ON	2010/ 10/ 22 15: 59
L42	19	rfid same (t adj shirt)	US-PGPUB; USPAT; USOCR	OR	ON	2010/ 10/ 22 15: 59
L43	1	["5296444".pn.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L44	19	(thermal adj transfer) and geon and (pvc same (ink or dye or pigment))	US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
L45	10	((non adj wax) same (non adj silicone)) and (thermal adj transfer)	US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
L46	1252	(wax same silicone) and (thermal adj transfer)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L47	[1	"10/ 537193". app.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L48	1	"5766397".pn.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L49	15	(thermal adj transfer) and (thick\$6 with aesthetic)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L50	5	(shirt and thermal) and (thick\$6 with aesthetic)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L51	32	grilltex	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L52	23	grilltex and thick\$6	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L53	1437	(thermal adj transfer) and (adhesive near5 thick \$6)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L54	1155	(thermal adj transfer) and (adhesive near3 thick \$6)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L55	35	(thermal adj transfer) and (adhesive with thick\$6 with adjust\$6)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L56	15	("4021591" "4399541" "4803361"). PN. OR ("5296444"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L57	2	((heat or thermal) near3 transfer) and (support or substrate or sheet) and ink and ((".mu.m" or micron or micrometer or (micro adj meter)) near5 rough\$6) and "428".clas. and (thermochrom\$6 near3 ink)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L58	2	((heat or thermal) near3 transfer) and (support or substrate or sheet) and ink and ((".mu.m" or micron or micrometer or (micro adj meter)) near5 rough\$6) and (thermochrom\$6 near3 ink)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L59	1129	((heat or thermal) near3 transfer) and (support or substrate or sheet) and ink and ((".mu.m" or micron or micrometer or (micro adj meter)) near5 rough\$6) and (ink or pigment)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L60	432	((heat or thermal) near3 transfer) and (support or substrate or sheet) and ink and ((".mu.m" or micron or micrometer or (micro adj meter)) near5 rough\$6) and (ink or pigment) and "428".clas.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59

L61	2	"6114021".pn. or "20030203193".pn.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L62	5	"6250316".pn. or "5935694".pn. or "5073452".pn. or "4880686".pn. or "4875961".pn.	US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
<u></u> 63	60	heat same transfer same label same cloth\$5	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
_64	267	bilodeau.in.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
.65	117	bilodeau.in. and transfer	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
1 66	21	bilodeau.in. and transfer and label	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
<u>67</u>	11	("3922435" "4319974" "4426422" "4548857" "4927709" "4935300" "5314929" "5350612" "5800656" "6042676"). PN. OR ("6376069"). URPN.	US-PGPUB; USPAT; USCCR	OR	ON	2010/10/22 15:59
L68	1550	kriegsman	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L 69	77	kriegsman and transfer and adhesive	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L70	24	("3922435" "4275104" "4426422" "4548857" "4610744" "4927709" "4935300" "5143976"). PN. OR ("5766731"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L71	1	"5296444". pn.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L72	15	("4021591" "4399541" "4803361").PN. OR ("5296444").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/10/22 15:59
L73	54	kriegsman and transfer and adhesive and (thick\$6 or micron or micrometer or (micro adj meter) or \$4".mu.m" or mil)	US-PŒUB; USPAT	OR	ON	2010/10/22 15:59
L74	220	(428/32.6.ccls. or 428/32.6) and (thick\$6 or micron or micrometer or (micro adj meter) or ".mu. m" or mil)	US-PŒUB; USPAT	OR	ON	2010/10/22 15:59
L75	220	(428/32.6.ccls. or 428/32.6) and (thick\$6 or micron or micrometer or (micro adj meter) or (".mu. m") or mil)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L76	219	(428/32.6.ccls. or 428/32.6) and (thick or thickness or thicknesses or micron or micrometer or (micro adj meter) or (".mu.m") or ("mil" or "mils"))	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L77	23137	(thermal near transfer) and (thick or thickness or thicknesses or micron or micrometer or (micro adj meter) or (".mu.m") or ("mil" or "mils"))	US-PŒUB; USPAT	OR	ON	2010/10/22 15:59
L78	9758	(thermal near transfer) and adhesive and (thick or thickness or thicknesses or micron or micrometer or (micro adj meter) or (".mu.m") or ("mil" or "mils"))	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L79	7	"4880686".pn. or "5254302".pn. or "4875961".pn. or "6250316".pn. "6376069".pn. or "20030203193".pn. or "5935694".pn.	US-PCPUB; USPAT	OR	ON	2010/10/22 15:59

L82	85	(rough or roughness\$3 or abras\$5 or grit) and (428/32.6.ccls. or 428/32.6)	US-PGPUB; USPAT	OR	ON	2010/ 10/ 22 15: 59
L83	274	428/32.77-32.79.ccls. or 428/32.77 or 428/32.78 or 428/32.79	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L84	196	428/32.77-32.78.ccls. or 428/32.77 or 428/32.78	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L85	177	(428/32.77-32.78.ccls. or 428/32.77 or 428/32.78) and thick\$6	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L86	13	("20030097949" "4024287" "4578273" "4610904" "4786349" "5017394" "5834047" "6058843" "6267997" "6319530" "6582742" "6623553" "7166153"). PN.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L87	241	(428/32.8-32.81.ccls. or 428/32.8 or 428/32.81) and thick\$6	US-PCPUB; USPAT	OR	ON	2010/10/22 15:59
L91	210	(428/32.82-32.84.ccls. or 428/32.82 or 428/32.83 or 428/32.84)	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L95	1	"5254302". pn.	US-PGPUB; USPAT	OR	ON	2010/10/22 15:59
L96	1623	(428/913.ccls. or 428/914.ccls. or 428/913 or 428/914) and (thermal adj (transfer or heat))	US-PGPUB; USPAT	OR	ON	2010/10/22 16:08
L97	1598	(428/913.ccls. or 428/914.ccls. or 428/913 or 428/914) and (thermal adj transfer)	US-PGPUB; USPAT	OR	ON	2010/10/22 16:08
L98	9805	428/913.ccls. or 428/914.ccls. or 428/913 or 428/914	US-PCPUB; USPAT	OR	ON	2010/10/22 16:12
L99	243	(428/32.6.ccls. or 428/32.6) and (thick\$6 or micron or micrometer or (micro adj meter) or \$2(".mu.m") or mil)	US-PGPUB; USPAT	OR	ON	2010/10/22 16:13

EAST Search History (Interference)

Ref #	Hits	Search Query	D B s	Default Operator	Pl ur al s	Time Stamp
L80	29	((rough or roughness\$3 or abras\$5 or grit) and (thermochrom\$3 or (thermo adj chrom\$3))).clm	US- PGPUB; USPAT; UPAD	OR	ON	2010/10/22 15: 59
i L81	60	((rough or roughness\$3 or abras\$5 or grit or textur\$5 or grain\$5) and (thermochrom\$3 or (thermo adj chrom\$3))).clm	US- PCPUB; USPAT; UPAD	OR	ON	2010/10/22 15: 59
L92	3	((rough or roughness\$3 or abras\$5 or grit or textur\$5 or grain\$5) and (thermochron\$3 or (thermo adj chron\$3))).clm and 428/32.77, 32.78, 32.78, 32.8, 32.81, 32.83, 913, 914.ccls.	US- PGPUB; USPAT; UPAD	OR	ON	2010/ 10/ 22 15: 59

L93	((rough or roughness\$3 or abras\$5 or grit or textur\$5 or grain\$5) and (thermochrom\$3 or (thermo adj chrom\$3))).clm and 428/32.6,32.77,32.78,32.78,32.8,32.81,32.83,913,914.ccls.	US- PGPUB; USPAT; UPAD	OR	ON	2010/10/22 15:59
L94	((rough or roughness\$3 or abras\$5 or grit or textur\$5 or grain\$5) and (thermochrom\$3 or (thermo adj chrom\$3))).clm and 428/32.6,32.77-32.83,913,914.ccls.	US- PŒUB; USPAT; UPAD	OR	ON	2010/10/22 15:59

10/22/2010 4: 43: 53 PM

C:\work\applications\10537193_thermal_transfer\search\main.wsp